

MARKUS STORCK'S MAGISCHE 100 DESIGN-AUSZEICHNUNGEN UND DIE HINTERGRÜNDE SEINER KARRIERE



上海签约现场



STORCK 先生签约车架

STORCK

IDSTEIN /
DÜSSELDORF /
MÜNCHEN /



Storck Bikes are characterized by high-quality individual bikes at a sensational price-performance ratio. Award-winning design and always record-breaking. ;-)

Storck 自行车的特点是高品质的个性化自行车，具有极高的性价比并且屡获殊荣的设计破纪录。

Markus STORCK
Founder and CEO

自1995年以来，STORCK Bicycle 一直是德国自行车行业的市场领导者之一。

始于1995年，这家总部位于伊德斯坦的高级自行车制造商在全德拥有四家旗舰店和众多国内外经销商，在德国各地拥有四家旗舰店，并在国内外拥有众多经销商。此外，STORCK 还通过自己的网上商店销售20多种物美价廉的高档自行车。

STORCK 还通过自己的网上商店 www.storck-bikes.com 销售20多种物美价廉的高档自行车。对于客户是整个STORCK团队日常工作的重心。

公司的特点是满足个人愿望、高端产品和服务质量。直接联系人以及广泛而深入的产品系列。

专业的在线商店专业的网上商店以及位于杜塞尔多夫、伊德斯坦、慕尼黑和Wertheim等地的概念店，完全符合用户的习惯和要求。

通过这种方式，我们提供最高质量的专业购物体验。

STORCK Bicycle is one of the market-leading German companies in the cycling sector since 1995.

The Idstein-based manufacturer of premium bikes has four flagship stores of its own throughout Germany and numerous dealers at home and abroad. In addition, STORCK sells more than 20 different types of bikes from the premium segment with excellent value for money via its own online store www.storck-bikes.com.

For the entire STORCK team, customers are the focus of their daily work. The company is characterized by responding to individual wishes, high end product and service quality, direct contact persons and a broad and deep product range. The professional online store and the company's own concept stores in Düsseldorf, Idstein, Munich and Wertheim are geared precisely to user habits and their requirements. In this way, we offer a professional shopping experience of the highest quality.

Markus Storck x 



In close collaboration with Markus, Campagnolo created a limited-edition Super Record group set, in Matte Black, with Markus' signature and on the crank arm. Each group set is individually numbered.



Together, Markus and Campagnolo curated a range of bespoke accessories for the Aerfast.5 60th Edition:
 60th Storck-Campagnolo Vintage Aluminum Drinking bottle
 60th Storck-Campagnolo Palladio Jersey
 60th Storck-Campagnolo The Big Corkscrew -Titanium Version

AERFAST.5

60th Edition

For his 60th birthday, Markus Storck was inspired to create 4 special edition bikes:

All frames will be painted Satin Dragon Dark Silver with gloss sparkling Silver bands. Each bike will be individually numbered and receive a specially designed dragon badge. The design is based on Markus' original tattoo which makes the 60th Edition very unique and spiritual!

Artech 6



Scope Wheels and Markus created a special edition Wheelset with black decals, silver hubs and signature dragon badge. Each wheelset is individually numbered.
 Scope Artech 6 / 60th Edition / 65mm

AERFAST.5 60TH EDITION

The Aerfast.5 redefines the pinnacle of cycling by setting new standards with groundbreaking aerodynamics and unrivalled efficiency. With its fastest aero value of 195 watts and the lightweight carbon frame starting at 950g, the Aerfast.5 is now also available in the limited series for the 60th birthday of the founder Markus Storck. The unique character of the bike is reflected in the numbered frames and wheels as well as a limited group set. The model in the stealth look, limited to 60 pieces, is a unique collector's item.

Equipment variants:
 Campagnolo Wireless Super Record S Signature 2x12 (30 pieces)
 Shimano Dura Ace Di2 2x12
 Sram Red E1 AXS 2x12 / Sram Red D1 AXS 2x12

Wheels:
 Scope Artech6 60th Edition 65mm

AERFAST.5 60TH EDITION CAMPAGNOLO SUPER RECORD WIRELESS

¥ 154,999.00



Product Configuration



车架	60周年签名版碳纤维车架 隐藏式走线	链条	Campagnolo Super Record
前叉	60周年签名版碳纤维前叉	前拨	Campagnolo Super Record Wireless
坐杆	碳纤维D型鞍管	后拨	Campagnolo Super Record Wireless
车把	碳纤维一体式全内走线把组	拔杆	Campagnolo Super Record Wireless一体式油刹
把立	碳纤维一体式全内走线把组	刹车器	油刹 (160/160)
坐垫	Selle San Marco Shortfit 2.0 3D Carbon 公路车鞍座	车圈	60周年签名版碳纤维 Scope Artech 6 65MM 60周年签名版SCOPE,,
速别	2x12S	花鼓 (F/R)	筒轴, F: 2陶瓷培林, R: 4陶瓷培林
曲柄齿片	Campagnolo Super Record 32*48T/34*50T	轮胎	Continental GrandPrix 5000S TT 25C
飞轮	Campagnolo Super Record 10-27T 12s	重量限制	90Kg

Frame Size	ST (mm)	TT (mm)	TT EFF (mm)	HT (mm)	CS (mm)	Stack (mm)	Reach (mm)	ST° (degree)	HT° (degree)	Recommended body height (cm)	Handlebar width/ stem length (mm)
XS	458	-	510	85	410	482	362.5	73	70	152-166	380/90
S	483	-	530	100	410	500	377	73	71	164-172	400/100
M	508	-	550	115	410	522	390	73	72	170-178	420/100
L	531	-	565	130	410	538	400	73	73	176-184	420/100
XL	558	-	575	155	410	562	403	73	73	182-190	420/110
XXL	583	-	595	170	410	576	418	73	73	188-...	440/120

AERFAST.5 60TH EDITION RED E1 AXS

¥ 129,999.00



Product Configuration



车架	60周年签名版碳纤维车架 隐藏式走线	链条	SRAM Red
前叉	60周年签名版碳纤维前叉	前拨	SRAM Red E1 eTap AXS
坐杆	碳纤维D型鞍管	后拨	SRAM Red E1 eTap AXS
车把	碳纤维一体式全内走线把组	拔杆	SRAM Red E1 eTap AXS 一体式油刹
把立	碳纤维一体式全内走线把组	刹车器	油刹 (160/160)
坐垫	Selle San Marco Shortfit 2.0 3D Carbon 公路车鞍座	车圈	60周年签名版碳纤维 Scope Artech 6 65MM 60周年签名版SCOPE,,
速别	2x12S	花鼓 (F/R)	筒轴, F: 2陶瓷培林, R: 4陶瓷培林
曲柄齿片	SRAM Red 35*48T	轮胎	Continental GrandPrix 5000S TT 25C
飞轮	SRAM Red 10-33T 12s	重量限制	90Kg

Frame Size	ST (mm)	TT (mm)	TT EFF (mm)	HT (mm)	CS (mm)	Stack (mm)	Reach (mm)	ST° (degree)	HT° (degree)	Recommended body height (cm)	Handlebar width/ stem length (mm)
XS	458	-	510	85	410	482	362.5	73	70	152-166	380/90
S	483	-	530	100	410	500	377	73	71	164-172	400/100
M	508	-	550	115	410	522	390	73	72	170-178	420/100
L	531	-	565	130	410	538	400	73	73	176-184	420/100
XL	558	-	575	155	410	562	403	73	73	182-190	420/110
XXL	583	-	595	170	410	576	418	73	73	188-...	440/120

AERFAST.5 60TH EDITION DURA-ACE DI2

¥ 125,999.00



Markus Storck x SCOPE



Product Configuration

车架	60周年签名版碳纤维车架 隐藏式走线	链条	SHIMANO DURA-ACE DI2
前叉	60周年签名版碳纤维前叉	前拨	SHIMANO DURA-ACE DI2
坐杆	碳纤维D型鞍管	后拨	SHIMANO DURA-ACE DI2
车把	碳纤维一体式全内走线把组	拔杆	SHIMANO DURA-ACE DI2 一体式油剂
把立	碳纤维一体式全内走线把组	刹车器	油剂 (160/160)
坐垫	Selle San Marco Shortfit 2.0 3D Carbon 公路车鞍座	车圈	60周年签名版碳纤维 Scope Artech 6 65MM 60周年签名版SCOPE
速别	2x12S	花鼓 (F/R)	筒轴, F: 2陶瓷培林, R: 4陶瓷培林
曲柄齿片	SHIMANO DURA-ACE 36*52T	轮胎	Continental GrandPrix 5000S TT 25C
飞轮	SHIMANO DURA-ACE DI2 11-30T 12s	重量限制	90Kg



Frame Size	ST (mm)	TT (mm)	TT EFF (mm)	HT (mm)	CS (mm)	Stack (mm)	Reach (mm)	ST° (degree)	HT° (degree)	Recommended body height (cm)	Handlebar width/stem length (mm)
XS	458	-	510	85	410	482	362.5	73	70	152-166	380/90
S	483	-	530	100	410	500	377	73	71	164-172	400/100
M	508	-	550	115	410	522	390	73	72	170-178	420/100
L	531	-	565	130	410	538	400	73	73	176-184	420/100
XL	558	-	575	155	410	562	403	73	73	182-190	420/110
XXL	583	-	595	170	410	576	418	73	73	188-...	440/120

AERNARIO.3

60th Edition



Scope Wheels and Markus created a special edition Wheelset with black decals, silver hubs and signature dragon badge. Each wheelset is individually numbered. Scope Artech 2 / 60th Edition / 22mm

AERNARIO.3 60TH EDITION

The lightweight Storck all-rounder with complete system integration is now also available in a limited-edition design, in celebration of Markus Storck's 60th birthday. The unique character of the bike is reflected in the numbered frame and wheels as well as a limited group set. The model in the stealth look, limited to 60 pieces, is a unique collectors' item. Thanks to its low weight, the Aernario.3 is light-footed, sporty and agile, and thanks to the carbon seat post and rear triangle, is characterized by a high standard of compliance and comfort.

Equipment variants:
Campagnolo Wireless Super Record S Signature 2x12 (30 pieces)
Shimano Dura Ace Di2 2x12
Sram Red E1 AXS 2x12 / Sram Red D1 AXS 2x12

Wheels:
Scope Artech2 60th Edition 22mm

AERNARIO.3 60TH EDITION CAMPAGNOLO SUPER RECORD WIRELESS

¥ 154,999.00



Product Configuration

车架	60周年签名版碳纤维车架 隐藏式走线	链条	Campagnolo Super Record
前叉	60周年签名版碳纤维前叉	前拨	Campagnolo Super Record Wireless
坐杆	碳纤维D型鞍管	后拨	Campagnolo Super Record Wireless
车把	碳纤维一体式全内走线把组	拔杆	Campagnolo Super Record Wireless 一体式油刹
把立	碳纤维一体式全内走线把组	刹车器	油刹 (160/160)
坐垫	Selle San Marco Shortfit 2.0 3D Carbon 公路车鞍座	车圈	60周年签名版碳纤维 Scope Artech 2 22MM 60周年签名版SCOPE.,
速别	2x12S	花鼓 (F/R)	筒轴, F: 2陶瓷培林, R: 4陶瓷培林
曲柄齿片	Campagnolo Super Record 34*50T	轮胎	Continental GrandPrix 5000 25C
飞轮	Campagnolo Super Record 11-32T 12s	重量限制	90Kg



Frame Size	ST (mm)	TT (mm)	TT EFF (mm)	HT (mm)	CS (mm)	Stack (mm)	Reach (mm)	ST° (degree)	HT° (degree)	Recommended body height (cm)	Handlebar width/stem length (mm)
XS	458	-	510	85	410	482	362.5	73	70	152-166	380/90
S	483	-	530	100	410	500	377	73	71	164-172	400/100
M	508	-	550	115	410	522	390	73	72	170-178	420/100
L	531	-	565	130	410	538	400	73	73	176-184	420/100
XL	558	-	575	155	410	562	403	73	73	182-190	420/110
XXL	583	-	595	170	410	576	418	73	73	188-...	440/120

AERNARIO.3 60TH EDITION RED E1 AXS

¥ 129,999.00



Product Configuration

车架	60周年签名版碳纤维车架 隐藏式走线	链条	SRAM Red
前叉	60周年签名版碳纤维前叉	前拨	SRAM Red eTap AXS E1
坐杆	碳纤维D型鞍管	后拨	SRAM Red eTap AXS E1
车把	碳纤维一体式全内走线把组	拔杆	SRAM Red eTap AXS E1 一体式油刹
把立	碳纤维一体式全内走线把组	刹车器	油刹 (160/160)
坐垫	Selle San Marco Shortfit 2.0 3D Carbon 公路车鞍座	车圈	60周年签名版碳纤维 Scope Artech 2 22MM 60周年签名版SCOPE.,
速别	2x12S	花鼓 (F/R)	筒轴, F: 2陶瓷培林, R: 4陶瓷培林
曲柄齿片	SRAM Red 35*48T	轮胎	Continental GrandPrix 5000 25C
飞轮	SRAM Red 10-36T 12s	重量限制	90Kg



Frame Size	ST (mm)	TT (mm)	TT EFF (mm)	HT (mm)	CS (mm)	Stack (mm)	Reach (mm)	ST° (degree)	HT° (degree)	Recommended body height (cm)	Handlebar width/stem length (mm)
XS	458	-	510	85	410	482	362.5	73	70	152-166	380/90
S	483	-	530	100	410	500	377	73	71	164-172	400/100
M	508	-	550	115	410	522	390	73	72	170-178	420/100
L	531	-	565	130	410	538	400	73	73	176-184	420/100
XL	558	-	575	155	410	562	403	73	73	182-190	420/110
XXL	583	-	595	170	410	576	418	73	73	188-...	440/120

AERNARIO.3 60TH EDITION DURA-ACE DI2

¥ 125,999.00

Markus Störck x SCOPE



Product Configuration

车架	60周年签名版碳纤维车架 隐藏式走线	链条	SHIMANO DURA-ACE DI2
前叉	60周年签名版碳纤维前叉	前拨	SHIMANO DURA-ACE DI2
坐杆	碳纤维D型鞍管	后拨	SHIMANO DURA-ACE DI2
车把	碳纤维一体式全内走线把组	拨杆	SHIMANO DURA-ACE DI2 一体式油剂
把立	碳纤维一体式全内走线把组	刹车器	油剂 (160/160)
坐垫	Selle San Marco Shortfit 2.0 3D Carbon 公路车鞍座	车圈	60周年签名版碳纤维 Scope Artech 2 22MM 60周年签名版SCOPE.
速别	2x12S	花鼓 (F/R)	筒轴, F: 2陶瓷培林, R: 4陶瓷培林
曲柄齿片	SHIMANO DURA-ACE 34*50T	轮胎	Continental GrandPrix 5000 25C
飞轮	SHIMANO DURA-ACE DI2 11-34T 12s	重量限制	90Kg



Frame Size	ST (mm)	TT (mm)	TT EFF (mm)	HT (mm)	CS (mm)	Stack (mm)	Reach (mm)	ST° (degree)	HT° (degree)	Recommended body height (cm)	Handlebar width/stem length (mm)
XS	458	-	510	85	410	482	362.5	73	70	152-166	380/90
S	483	-	530	100	410	500	377	73	71	164-172	400/100
M	508	-	550	115	410	522	390	73	72	170-178	420/100
L	531	-	565	130	410	538	400	73	73	176-184	420/100
XL	558	-	575	155	410	562	403	73	73	182-190	420/110
XXL	583	-	595	170	410	576	418	73	73	188-...	440/120

GRIX.2 60th Edition



Scope Wheels and Markus created a special edition Wheelset with black decals, silver hubs and signature dragon badge. Each wheelset is individually numbered. Scope Artech 4.G / 60th Edition / 45mm

GRIX.2 60TH EDITION

With the Grix.2, racing moves for the road to gravel. In addition to its outstanding handling characteristics, the Grix.2 is now also available in a limited-edition design, in celebration of Markus Störck's 60th birthday. The unique character of the bike is reflected in the numbered frames and wheels. The model in the stealth look, limited to 60 pieces, is a unique collectors' item. It is not just a gravel racer, it is also a bike packer, with several eyelets on the frame and fork to attach mudguards and bags. Whether it's on the road or gravel - the Grix.2 can do it.

The Grix.2 60th Edition is equipped with a Shimano GRX RX825 Di2 2x12 and Scope Artech4.G 60th Edition 45mm

GRIX.2 60TH EDITION GRX DI2

¥ 85,999.00




Product Configuration



车架	60周年签名版碳纤维车架 隐藏式走线	链条	SHIMANO Ultegra DI2
前叉	60周年签名版碳纤维前叉	前拨	SHIMANO GRX RX825 DI2
坐杆	碳纤维D型鞍管	后拨	SHIMANO GRX RX825 DI2
车把	碳纤维一体式全内走线把组	拨杆	SHIMANO Ultegra GRX RX815 DI2 一体式油刹
把立	碳纤维一体式全内走线把组	刹车器	油刹 (160/160)
坐垫	Fizik Terra Argo X5 鞍座	车圈	60周年签名版碳纤维 Scope Artech 4.G 45MM
速别	2x12S	花鼓 (F/R)	60周年签名版SCOPE., 筒轴, F: 2陶瓷培林, R: 4陶瓷培林
曲柄齿片	SHIMANO GRX825 31*48T	轮胎	Schwalbe G-One T-Bite 40C
飞轮	SHIMANO Ultegra 11-34T 12s	重量限制	90Kg

Frame Size	ST (mm)	TT (mm)	TT EFF (mm)	HT (mm)	CS (mm)	Stack (mm)	Reach (mm)	ST* (degree)	HT* (degree)	Recommended body height (cm)	Handlebar width/ stem length (mm)
XS	458	-	510	85	410	482	362.5	73	70	152-166	380/90
S	483	-	530	100	410	500	377	73	71	164-172	400/100
M	508	-	550	115	410	522	390	73	72	170-178	420/100
L	531	-	565	130	410	538	400	73	73	176-184	420/100
XL	558	-	575	155	410	562	403	73	73	182-190	420/110
XXL	583	-	595	170	410	576	418	73	73	188-...	440/120



NEW 2024



AERFAST.5

If you are using a mobile device,
please turn the device horizontally.



SUPER-FAST FORK

The Aerfast.5 fork is wide and aggressive. Built close to the wheel, a narrow head end ensures less air turbulence. This offers the smallest possible contact surface for the airstream and directs it optimally along the frame. The so-called cantail, the tear-off edge at the rear of the fork, creates a sailing effect that additionally accelerates the wheel forwards. This further improves the flow characteristics. Thanks to this design, the 80 mm wide fork is super-fast and makes up a large proportion of the watts saved.

SUPERFAST AERFAST

Faster than ever before: the Aerfast.5 was born in the wind tunnel. Only 195 watts are needed to maintain a speed of 45 km/h*. This makes our Aerfast.5 the fastest road bike in the world! The aerodynamically optimized frame makes this top value possible. In addition to its outstanding aerodynamics, the Aerfast.5 impresses with its computer-aided frame configuration. This reduces the weight of the frame to a sensational 890 grams**, making it even lighter than its predecessors. The use of the highest quality carbon fibers has a positive effect on the overall performance. *according to measurements by the GST Gesellschaft für Strömungsmesstechnik on the basis of the TOUR wind tunnel test **in the smallest frame size



IMPROVED AERODYNAMICS IN THE FRAME

The aerodynamics of the Aerfast.5 have been further improved in key areas. The head tube is particularly striking, as the new UCI guidelines allow the airflow to be directed even more efficiently to the rear of the frame. In addition to the head tube, the seat tube and seat post have also been increased in depth to avoid air turbulence. The transition between the seat tube and the seat stays also stands out, and not just visually. Based on the radical concept of the STORCK Aero2 at the time, the flared design of the seat stay connection and the optimized cross-section of the seat stays achieve further aerodynamic advantages.



AERFAST. 4 PRO DISC DURA-ACE DI2

¥ 78,000.00



Product Configuration



车架	碳纤维车架 隐藏式走线	链条	SHIMANO DURA-ACE DI2
前叉	碳纤维前叉	前拨	SHIMANO DURA-ACE DI2
坐杆	碳纤维D型鞍管	后拨	SHIMANO DURA-ACE DI2
车把	碳纤维一体式全内走线把组	拨杆	SHIMANO DURA-ACE DI2 一体式油刹
把立	碳纤维一体式全内走线把组	刹车器	油刹 (160/140)
坐垫	SELLE ROYAL FIZIK 公路车鞍座	车圈	碳纤维 60MM, 24H
速别	2x12S	花鼓 (F/R)	DT SWISS,F: 2陶瓷培林,R: 4陶瓷培林
曲柄齿片	SHIMANO DURA-ACE 34*50T	轮胎	SCHWALBE 28C
飞轮	SHIMANO DURA-ACE DI2 11-34T 12s	重量限制	90Kg

Frame Size	ST (mm)	TT (mm)	TT EFF (mm)	HT (mm)	CS (mm)	Stack (mm)	Reach (mm)	ST° (degree)	HT° (degree)	Recommended body height (cm)	Handlebar width/ stem length (mm)
XS	458	-	510	85	410	482	362.5	73	70	152-166	380/90
S	483	-	530	100	410	500	377	73	71	164-172	400/100
M	508	-	550	115	410	522	390	73	72	170-178	420/100
L	531	-	565	130	410	538	400	73	73	176-184	420/100
XL	558	-	575	155	410	562	403	73	73	182-190	420/110
XXL	583	-	595	170	410	576	418	73	73	188-...	440/120

AERFAST.4 PRO DISC ULTEGRA DI2

¥ 68,000.00



Product Configuration



车架	碳纤维车架 隐藏式走线	链条	SHIMANO ULTEGRA
前叉	碳纤维前叉	前拨	SHIMANO ULTEGRA DI2
坐杆	碳纤维D型鞍管	后拨	SHIMANO ULTEGRA DI2
车把	碳纤维一体式全内走线把组	拨杆	SHIMANO ULTEGRA DI2 一体式油刹
把立	碳纤维一体式全内走线把组	刹车器	油刹 (160/140)
坐垫	SELLE ROYAL FIZIK 公路车鞍座	车圈	碳纤维 60MM, 24H
速别	2x12S	花鼓 (F/R)	DT SWISS,F: 2陶瓷培林,R: 4陶瓷培林
曲柄齿片	SHIMANO ULTEGRA 34*50T	轮胎	SCHWALBE 28C
飞轮	SHIMANO ULTEGRA 11-30T 12s	重量限制	90Kg

Frame Size	ST (mm)	TT (mm)	TT EFF (mm)	HT (mm)	CS (mm)	Stack (mm)	Reach (mm)	ST° (degree)	HT° (degree)	Recommended body height (cm)	Handlebar width/ stem length (mm)
XS	458	-	510	85	410	482	362.5	73	70	152-166	380/90
S	483	-	530	100	410	500	377	73	71	164-172	400/100
M	508	-	550	115	410	522	390	73	72	170-178	420/100
L	531	-	565	130	410	538	400	73	73	176-184	420/100
XL	558	-	575	155	410	562	403	73	73	182-190	420/110
XXL	583	-	595	170	410	576	418	73	73	188-...	440/120

AERFAST.4 PRO DISC 105 DI2

¥ 48,000.00



Product Configuration



车架	碳纤维车架 隐藏式走线	链条	SHIMANO 105
前叉	碳纤维前叉	前拨	SHIMANO 105 Di2
坐杆	碳纤维D型鞍管	后拨	SHIMANO 105 Di2
车把	碳纤维一体式全内走线把组	拨杆	SHIMANO 105 Di2 一体式油剂
把立	碳纤维一体式全内走线把组	油剂	(160/140)
坐垫	SELLE ROYAL FIZIK 公路车鞍座	车圈	碳纤维车圈搭配钢条 40/55MM, 24H
速别	2x12S	花鼓 (F/R)	STORCK, 筒轴, F: 2培林, R: 4培林
曲柄齿片	SHIMANO 105 34*50T	轮胎	SCHWALBE 28C
飞轮	SHIMANO 105 11-34T 12s	重量限制	90Kg

Frame Size	ST (mm)	TT (mm)	TT EFF (mm)	HT (mm)	CS (mm)	Stack (mm)	Reach (mm)	ST° (degree)	HT° (degree)	Recommended body height (cm)	Handlebar width/ stem length (mm)
XS	458	-	510	85	410	482	362.5	73	70	152-166	380/90
S	483	-	530	100	410	500	377	73	71	164-172	400/100
M	508	-	550	115	410	522	390	73	72	170-178	420/100
L	531	-	565	130	410	538	400	73	73	176-184	420/100
XL	558	-	575	155	410	562	403	73	73	182-190	420/110
XXL	583	-	595	170	410	576	418	73	73	188-...	440/120

AERFAST.4 PRO DISC ULTEGRA DI2

¥ 68,000.00



Product Configuration



车架	碳纤维车架 隐藏式走线	链条	SHIMANO ULTEGRA
前叉	碳纤维前叉	前拨	SHIMANO ULTEGRA Di2
坐杆	碳纤维D型鞍管	后拨	SHIMANO ULTEGRA Di2
车把	碳纤维一体式全内走线把组	拨杆	SHIMANO ULTEGRA Di2 一体式油剂
把立	碳纤维一体式全内走线把组	油剂	(160/140)
坐垫	SELLE ROYAL FIZIK 公路车鞍座	车圈	碳纤维车圈搭配碳条 40/55MM, 24H
速别	2x12S	花鼓 (F/R)	STORCK, 筒轴, F: 2培林, R: 4培林
曲柄齿片	SHIMANO ULTEGRA 34*50T	轮胎	SCHWALBE 28C
飞轮	SHIMANO ULTEGRA 11-30T 12s	重量限制	90Kg

Frame Size	ST (mm)	TT (mm)	TT EFF (mm)	HT (mm)	CS (mm)	Stack (mm)	Reach (mm)	ST° (degree)	HT° (degree)	Recommended body height (cm)	Handlebar width/ stem length (mm)
XS	458	-	510	85	410	482	362.5	73	70	152-166	380/90
S	483	-	530	100	410	500	377	73	71	164-172	400/100
M	508	-	550	115	410	522	390	73	72	170-178	420/100
L	531	-	565	130	410	538	400	73	73	176-184	420/100
XL	558	-	575	155	410	562	403	73	73	182-190	420/110
XXL	583	-	595	170	410	576	418	73	73	188-...	440/120

AERFAST. 4 PRO DISC FRAME SET



AERFAST.4 PLATINUM DISC DURA-ACE DI2

¥ 88,000.00




Product Configuration



车架	碳纤维车架 隐藏式走线	链条	SHIMANO DURA-ACE DI2
前叉	碳纤维前叉	前拨	SHIMANO DURA-ACE DI2
坐杆	碳纤维D型鞍管	后拨	SHIMANO DURA-ACE DI2
车把	碳纤维一体式全内走线把组	拔杆	SHIMANO DURA-ACE DI2 一体式油刹
把立	碳纤维一体式全内走线把组	刹车器	油刹 (160/140)
坐垫	SELLE ROYAL FIZIK 公路车鞍座	车圈	碳纤维 60MM, 24H
速别	2x12S	花鼓 (F/R)	DT SWISS,F: 2陶瓷培林,R: 4陶瓷培林
曲柄齿片	SHIMANO DURA-ACE 34*50T	轮胎	马牌 28C
飞轮	SHIMANO DURA-ACE DI2 11-34T 12s	重量限制	90Kg

Frame Size	ST (mm)	TT (mm)	TT EFF (mm)	HT (mm)	CS (mm)	Stack (mm)	Reach (mm)	ST° (degree)	HT° (degree)	Recommended body height (cm)	Handlebar width/ stem length (mm)
XS	458	-	510	85	410	482	362.5	73	70	152-166	380/90
S	483	-	530	100	410	500	377	73	71	164-172	400/100
M	508	-	550	115	410	522	390	73	72	170-178	420/100
L	531	-	565	130	410	538	400	73	73	176-184	420/100
XL	558	-	575	155	410	562	403	73	73	182-190	420/110
XXL	583	-	595	170	410	576	418	73	73	188-...	440/120





AERNARIO.3

AERNARIO.3 PLATINUM DURA-ACE DI2



Product Configuration



车架	碳纤维车架 隐藏式走线	链条	SHIMANO DURA-ACE DI2
前叉	碳纤维前叉	前拨	SHIMANO DURA-ACE DI2
坐杆	碳纤维D型鞍管	后拨	SHIMANO DURA-ACE DI2
车把	碳纤维一体式全内走线把组	拨杆	SHIMANO DURA-ACE DI2 一体式油剂
把立	碳纤维一体式全内走线把组	刹车器	油剂 (160/140)
坐垫	SELLE ROYAL FIZIK 公路车鞍座	车圈	碳纤维 40MM, 24H
速别	2x12S	花鼓 (F/R)	DT SWISS,F: 2陶瓷培林,R: 4陶瓷培林
曲柄齿片	SHIMANO DURA-ACE 34*50T	轮胎	马牌 28C
飞轮	SHIMANO DURA-ACE DI2 11-34T 12s	重量限制	90Kg

Frame Size	ST (mm)	TT (mm)	TT EFF (mm)	HT (mm)	CS (mm)	Stack (mm)	Reach (mm)	ST* (degree)	HT* (degree)	Recommended body height (cm)	Handlebar width/ stem length (mm)
S	475	-	545	132	407	543.1	387.2	73.8	72.5	165-174	400/100
M	500	-	566	158	407	571.2	396.8	73.5	73.5	174-182	420/100
L	525	-	582	182	407	594.2	406	73.5	73.5	180-189	420/100
XL	550	-	599	206	407	617.2	416.2	73.5	73.5	187-195	420/110
XXL	580	-	610	229	407	639.2	420.7	73.5	73.5	193-203	440/120

AERNARIO.3 PRO ULTEGRA DI2

¥ 70,800.00



reddot winner 2023



Product Configuration



车架	碳纤维车架 隐藏式走线	链条	SHIMANO ULTEGRA
前叉	碳纤维前叉	前拨	SHIMANO ULTEGRA DI2
坐杆	碳纤维D型鞍管	后拨	SHIMANO ULTEGRA DI2
车把	碳纤维一体式全内走线把组	拨杆	SHIMANO ULTEGRA DI2 一体式油刹
把立	碳纤维一体式全内走线把组	刹车器	油刹 (160/140)
坐垫	SELLE ROYAL FIZIK 公路车鞍座	车圈	碳纤维 45/50MM, 20/24H
速别	2x12S	花鼓 (F/R)	DT SWISS, 筒轴, F: 2培林, R: 4培林
曲柄齿片	SHIMANO ULTEGRA 34*50T	轮胎	马牌 28C
飞轮	SHIMANO ULTEGRA 11-30T 12s	重量限制	90Kg

Frame Size	ST (mm)	TT (mm)	TT EFF (mm)	HT (mm)	CS (mm)	Stack (mm)	Reach (mm)	ST* (degree)	HT* (degree)	Recommended body height (cm)	Handlebar width/ stem length (mm)
S	475	-	545	132	407	543.1	387.2	73.8	72.5	165-174	400/100
M	500	-	566	158	407	571.2	396.8	73.5	73.5	174-182	420/100
L	525	-	582	182	407	594.2	406	73.5	73.5	180-189	420/100
XL	550	-	599	206	407	617.2	416.2	73.5	73.5	187-195	420/110
XXL	580	-	610	229	407	639.2	420.7	73.5	73.5	193-203	440/120

AERNARIO.3 COMP 105 DI2

¥ 42,800.00



Product Configuration



车架	碳纤维车架 隐藏式走线	链条	SHIMANO 105
前叉	碳纤维前叉	前拨	SHIMANO 105 DI2
坐杆	碳纤维D型鞍管	后拨	SHIMANO 105 DI2
车把	碳纤维一体式全内走线把组	拨杆	SHIMANO 105 DI2 一体式油刹
把立	碳纤维一体式全内走线把组	刹车器	油刹 (160/140)
坐垫	SELLE ROYAL FIZIK 公路车鞍座	车圈	碳纤维 45/50MM, 24H
速别	2x12S	花鼓 (F/R)	STORCK, 筒轴, F: 2培林, R: 4培林
曲柄齿片	SHIMANO 105 34*50T	轮胎	马牌 28C
飞轮	SHIMANO 105 11-34T 12s	重量限制	90Kg

Frame Size	ST (mm)	TT (mm)	TT EFF (mm)	HT (mm)	CS (mm)	Stack (mm)	Reach (mm)	ST* (degree)	HT* (degree)	Recommended body height (cm)	Handlebar width/ stem length (mm)
S	475	-	545	132	407	543.1	387.2	73.8	72.5	165-174	400/100
M	500	-	566	158	407	571.2	396.8	73.5	73.5	174-182	420/100
L	525	-	582	182	407	594.2	406	73.5	73.5	180-189	420/100
XL	550	-	599	206	407	617.2	416.2	73.5	73.5	187-195	420/110
XXL	580	-	610	229	407	639.2	420.7	73.5	73.5	193-203	440/120

GRIX.2 PRO

¥ 38,000.00



reddot winner 2022



GERMAN DESIGN AWARD WINNER 2023



Product Configuration



车架	碳纤维车架 隐藏式走线	链条	SHIMANO CNLG500
前叉	碳纤维前叉	前拨	SHIMANO FDRX810
坐杆	碳纤维D型鞍管	后拨	SHIMANO RDRX810
车把	碳纤维一体式全内走线把组	拨杆	SHIMANO RX8102 一体式油刹
把立	碳纤维一体式全内走线把组	刹车器	油刹 (160/160)
坐垫	SELLE ROYAL GROUP 公路车鞍座	车圈	碳纤维 45MM, 28H
速别	2x11S	花鼓 (F/R)	STORCK, 筒轴, F: 2培林, R: 4培林
曲柄齿片	SHIMANO RX600 30*46T	轮胎	SCHWALBE 40C
飞轮	SHIMANO CSHG800 11-34T 11s	重量限制	90Kg

Frame Size	ST (mm)	TT (mm)	TT EFF (mm)	HT (mm)	CS (mm)	Stack (mm)	Reach (mm)	ST* (degree)	HT* (degree)	Recommended body height (cm)	Handlebar width/ stem length (mm)
S	462	k.A.	529.3	101	425	518	366	72.5	69.5	161-173	90/400
M	493	k.A.	550.4	125	425	546.7	378	72.5	71.5	170-182	100/420
L	522	k.A.	571.5	150	425	575.7	390	72.5	72.5	178-189	100/420
XL	522	k.A.	592.5	180	425	604.3	402	72.5	72.5	185-195	110/440
XXL	582	k.A.	612.5	210	425	632.9	413	72.5	72.5	191-...	110/440

GRIX.2 PLATINUM

¥ 48,000.00

1.8
TOU



Product Configuration



车架	碳纤维车架 隐藏式走线	链条	SHIMANO CNLG500
前叉	碳纤维前叉	前拨	SHIMANO FDRX810
坐杆	碳纤维D型鞍管	后拨	SHIMANO RDRX810
车把	碳纤维一体式全内走线把组	拨杆	SHIMANO RX8102 一体式油刹
把立	碳纤维一体式全内走线把组	刹车器	油刹 (160/160)
坐垫	SELLE ROYAL GROUP 公路车鞍座	车圈	碳纤维 45MM, 28H
速别	2x11S	花鼓 (F/R)	DT SWISS, F: 2培林, R: 4培林
曲柄齿片	SHIMANO RX600 30*46T	轮胎	SCHWALBE 40C
飞轮	SHIMANO CSHG800 11-34T 11s	重量限制	90Kg

Frame Size	ST (mm)	TT (mm)	TT EFF (mm)	HT (mm)	CS (mm)	Stack (mm)	Reach (mm)	ST* (degree)	HT* (degree)	Recommended body height (cm)	Handlebar width/ stem length (mm)
S	462	k.A.	529.3	101	425	518	366	72.5	69.5	161-173	90/400
M	493	k.A.	550.4	125	425	546.7	378	72.5	71.5	170-182	100/420
L	522	k.A.	571.5	150	425	575.7	390	72.5	72.5	178-189	100/420
XL	522	k.A.	592.5	180	425	604.3	402	72.5	72.5	185-195	110/440
XXL	582	k.A.	612.5	210	425	632.9	413	72.5	72.5	191-...	110/440

WHEELS

继 DT SWISS ARC1600 STORCK EDITION 取得成功, STORCK 现在以 STORCK 品牌“ZEITJAEGER”开发自己的碳纤维轮组。凭借 ZEITJAEGER COMP, STORCK 继续提供价格实惠且高品质的碳纤维轮组。ZEITJAEGER COMP 现已推出适用于 SHIMANO 和 SRAM 的飞轮。对于自行车爱好者, STORCK 还提供配备碳辐条的 ZEITJAEGER PLATINUM。所有 ZEITJAEGER 型号均为“准真空胎”并且适用于碟刹制动器。

AFTER THE SUCCESS OF THE DT SWISS ARC1600 STORCK EDITION, STORCK NOW DEVELOPED ITS OWN CARBON WHEELSET UNDER THE STORCK BRAND "ZEITJAEGER". WITH THE ZEITJAEGER COMP, STORCK CONTINUES TO OFFER AN AFFORDABLE YET HIGH-QUALITY CARBON WHEELSET. THE ZEITJAEGER COMP IS NOW AVAILABLE WITH FREEWHEELS FOR SHIMANO AND SRAM. FOR CYCLING ENTHUSIASTS, STORCK ALSO OFFERS THE ZEITJAEGER PLATINUM WITH CARBON SPOKES. ALL THE ZEITJAEGER MODELS ARE "TUBELESS READY" AND ARE SUITABLE FOR DISC BRAKES.

ZEITJAEGER PLATINUM 45R



INFORMATIO

轮组包括前轮和后轮

- 碳纤维轮圈, 带钢轴承
- 轮圈高度: 45 毫米
- 轮圈宽度: 28 毫米
- 内径: 21 毫米
- 前轮: 21 根碳辐条
- 后轮: 24 根碳辐条
- 安装尺寸: 前轮 100 毫米, 后轮 142 毫米
- 最小气门长度 60 毫米
- 花鼓: Road100S
- 花鼓颜色: 铬本色
- 净重: 1279 克
- 系统承重: 110 千克
- 兼容 SRAM 12 速
- 兼容碟刹制动器
- 兼容真空胎



ZEITJAEGER COMP 40R/55R



INFORMATIO

轮组包括前轮和后轮

- 碳纤维轮圈, 带钢轴承
- 轮圈高度: 40/45 毫米
- 轮圈宽度: 28 毫米
- 内径: 19.5/18.5 毫米
- 前轮: 24 根碳辐条
- 后轮: 24 根碳辐条
- 安装尺寸: 前 100 毫米, 后 142 毫米
- 最小气门长度 60/80 毫米
- 花鼓: Road80S
- 花鼓颜色: 黑色
- 净重: 1670/1700 克
- 系统承重: 110 公斤
- 兼容 SRAM 12 速
- 兼容碟刹制动器
- 兼容真空胎

