

cinelli

玩转艺术70多年的意大利品牌Cinelli，被荣称为意大利一王四后的同时也是为固齿文化贡献极大的品牌。由前职业赛车手和米兰圣雷莫锦标赛的冠军于1947年创立。Cinelli一直走在时尚前端，散发着令人向往的活力的味道。



“Le biciclette
da corsa
devono
correre”

ROAD PERFORMANCE

Bicycles must compete is Cinelli's mantra since its foundation with Cino Cinelli through the handover to Antonio Colombo in 1979. Today, Cinelli carbon road frames merge design and innovation to deliver cutting edge racing quality. Still obsessed with stubborn perfection.





ROAD GRAVEL ADVENTURE URBAN

NEW NEW NEW NEW NEW NEW NEW NEW NEW NEW NEW

specs

FRAME WEIGHT (M)	FORK WEIGHT (M)	PRESS FIT	MAX TYRE
975 g	390 g	BB 86,5	32 mm

pressure II

The ultimate Italian aerodynamic high-speed road riding experience. New and improved 100% Milanese design.



The image has the sole purpose of presenting the product. Some accessory specifications may vary.

- Reduced weight (-109 g)
- Modified carbon fiber layup for improved ride quality and reliability
- Increased tyre clearance (32mm)
- 100% Milanese design
- UCI approved
- Full pro features:
 - racing geometry
 - over benchmark stiffness
 - aero-enhanced tubing profiles
 - integrated cables

Born to race, Pressure is the pinnacle of Cinelli's road bike design language. Obsessively re-engineered seatpost length, clamp mechanism and cable guides reduce the weight of the Pressure II framekit by 5% relative to its predecessor. Refined over 4 different samples the Pressure II's carbon fiber layup represents what our R&D team and pro riders believe to be the best ratio between weight savings, race stiffness and reliability. In line with most recent studies in aerodynamics, rolling resistance and - most importantly - the continuous hybridization of the road bike, the Pressure II features 32mm max tyre clearance.




RACING WHITE PATINA / 竞速白 - 古铜质感



frame specs

Sizes	XS (46) - S (49) - M (52) - L (55) - XL (58)
Cockpit	XS 90x370 - S 100x390 - M 110x390 - L 110x390 - XL 120x410 (included)
Material	Columbus Carbon Monocoque T800
Headset	IS 52/28,6 IS 52/40 FSA ACR 1-1/2" (included)
Seatpost	Full Carbon Aero (included) / Carbon Rail Comp.
Seat Clamp	Hidden (included)
BB Shell	Press Fit 86,5 x 41 mm
Ft. derailleur	Brace-On
Routing	Full Internal - Electronic Groupset Only
Color	Racing White Patina / Dandy's Racing Green
Tyre Clear.	up to 700x32 mm
Fork	Full Carbon Monocoque 1-1/8" - 1-1/2" Full Internal Cable Routing
Weight	Frame 975g (size M) - Fork 390g (uncut) (+/- 5% - raw finish)
Brake	Flat Mount Disc Brake, Rotor Size Up To 160 mm
Dropouts ST	Rear TA Ø 12x142mm - M12x165 / Front TA Ø 12x100mm - M12x119
Highlights	Extra hanger / Ft.-Pie Skewers



geometry

	XS	S	M	L	XL
S1	460	518	576	634	692
S	460	530	592	654	716
M	520	545	570	595	620
L	580	560	540	520	500
XL	580	575	570	565	560

assembly

	DURA-ACE-DI2 (1)	DURA-ACE-DI2 (2)
FRAME:	碳纤维车架 隐藏式走线	碳纤维车架 隐藏式走线
FORK:	碳纤维前叉	碳纤维前叉
SEATPOST:	碳纤维异型鞍管	碳纤维异型鞍管
HANDLEBAR:	碳纤维一体式全内走线把组	碳纤维一体式全内走线把组
STEM:	碳纤维一体式全内走线把组	碳纤维一体式全内走线把组
SADDLE:	selle italia 2x12S	selle italia 2x12S
SPEED:	SHIMANO DURA-ACE R9200 34*50T	SHIMANO DURA-ACE R9200 34*50T
CRANKSET:	SHIMANO DURA-ACE DI2 R9200 11-30T	SHIMANO DURA-ACE DI2 R9200 11-30T
CHAIN:	SHIMANO DURA-ACE M9100	SHIMANO DURA-ACE M9100
FT.DERAILLEUR:	SHIMANO DURA-ACE DI2 R9250	SHIMANO DURA-ACE DI2 R9250
R.DERAILLEUR:	SHIMANO DURA-ACE DI2 R9250	SHIMANO DURA-ACE DI2 R9250
SHIFTERS:	SHIMANO DURA-ACE DI2 R9270	SHIMANO DURA-ACE DI2 R9270
ROTORS:	SHIMANO DURA-ACE R9270	SHIMANO DURA-ACE R9270
WHEELSET:	CAMPAGNOLO ULTRA WTO	SHIMANO DARA-ACE
TYRES:	Pirelli P Zero Race 700x28C	Pirelli P Zero Race 700x28C
WEIGHT LIMIT:	90Kg	90Kg
	ULTEGRA DI2 (1)	ULTEGRA DI2 (2)
FRAME:	碳纤维车架 隐藏式走线	碳纤维车架 隐藏式走线
FORK:	碳纤维前叉	碳纤维前叉
SEATPOST:	碳纤维异型鞍管	碳纤维异型鞍管
HANDLEBAR:	碳纤维一体式全内走线把组	碳纤维一体式全内走线把组
STEM:	碳纤维一体式全内走线把组	碳纤维一体式全内走线把组
SADDLE:	selle italia 2x12S	selle italia 2x12S
SPEED:	SHIMANO ULTEGRA R8100 34*50T	SHIMANO ULTEGRA R8100 34*50T
CRANKSET:	SHIMANO ULTEGRA R8100 11-30T	SHIMANO ULTEGRA R8100 11-30T
CHAIN:	SHIMANO ULTEGRA M8100	SHIMANO ULTEGRA M8100
FT.DERAILLEUR:	SHIMANO ULTEGRA DI2 R8150	SHIMANO ULTEGRA DI2 R8150
R.DERAILLEUR:	SHIMANO ULTEGRA DI2 R8150	SHIMANO ULTEGRA DI2 R8150
SHIFTERS:	SHIMANO ULTEGRA DI2 R8170	SHIMANO ULTEGRA DI2 R8170
ROTORS:	SHIMANO ULTEGRA R8170	SHIMANO ULTEGRA R8170
WHEELSET:	CAMPAGNOLO WTO	SHIMANO DARA-ACE
TYRES:	Pirelli P ZERO ROAD 700*28C	Pirelli P ZERO ROAD 700*28C
WEIGHT LIMIT:	90Kg	90Kg



ROAD GRAVEL ADVENTURE URBAN

specs

FRAME WEIGHT (M)	FORK WEIGHT (M)	PRESS FIT	MAX TYRE
990 g	390 g	BB 86,5	30 mm

pressure

Born to race, Pressure synthesizes the needs of performance cycling into the language of contemporary Milanese design.



The image has the sole purpose of presenting the product. Some assembly specifications may vary.

- ☒ Pinnacle of Cinelli's road bike design language
- ☒ Aerodynamic tube profile
- ☒ Integrated wiring aero cockpit
- ☒ Integrated seatpost
- ☒ T800 High modulus carbon fiber
- ☒ Max tyre clearance 700x30c

Born to race, Pressure is the pinnacle of Cinelli's road bike design language. Made from a high modulus T800 carbon fiber with proprietary lay-up tested and developed in conjunction with Italy's premier development team, Colpack Ballan CSB over a period of two years, the Pressure synthesizes into a contemporary Milanese design language the performance cyclist's need for aerodynamic tube profiles, integrated wiring and an aggressive road feel that pays homage to our historical Italian racing DNA... Various prestigious professional victories include the 2021 UCI U23 Mens World Championships with Filippo Baroncini.



beige colour / 米色



red-pink gradient / 红粉渐变



camouflage colour / 迷彩色



dazzling colours / 炫彩色



NEW COLOR




Triple Grey / 对撞III



Triple Black / 对撞III

frame specs

Sizes	XS (46) - S (49) - M (52) - L (55) - XL (58)
Cockpit	XS 100x40 - S 100x40 - M 110x42 - L 110x42 - XL 120x42 Included
Material	Columbus Carbon Monocoque T800
Headset	IS 52/28.6 IS 52/40 FSA ACR 1-1/2" (included)
Seatpost	Aero (included) / Carbon Rail Comp. / L 300 (XS) - L 350 (S-M-L-XL)
Seat Clamp	Hidden (included)
BB Shell	Press Fit 86,5 x 41 mm
Ft. derailleur	Braze-On
Routing	Full Internal - Di2/EPS Compatible
Color	Triple White / Triple Grey / Triple Black / Team Limited
Tyre Clear.	up to 700x30 mm
Fork	Columbus Disc 1-1/2" Carbon Monocoque Internal Cable Routing
Weight	Frame 900g (size M) - Fork 390g (uncut)
Brake	Flat Mount Disc Brake, Rotor Size Up To 160 mm
Dropouts ST	Rear TA Ø 12x142mm - M12x165 / Front TA Ø 12x100mm - M12x120
Highlights	Extra hanger / Di2 / EPS Cable Inserts / F-R Skewers



geometry

	S1	S	T1	T	H/T	A	B	R	C	F	WB	E	FORK	STACK	REACH
XS	460	444	518	504	110	71	73.5	45	410	571	971	68	374	512	366
S	490	472	530	518	125	71.5	73.5	45	410	579	979	68	374	528	374
M	520	503	545	538	135	72	73.5	45	410	590	990	68	374	539	385
L	550	535	560	556	155	72.5	73.5	45	410	600	1001	68	374	560	394
XL	580	567	575	573	175	73	73.5	45	410	611	1011	68	374	581	403

assembly

	DURA-ACE DISC DI2	ULTEGRA DISC DI2
FRAME:	CARBON MONOCOQUE T800	CARBON MONOCOQUE T800
FORK:	CARBON MONOCOQUE T800	CARBON MONOCOQUE T800
SEATPOST:	CARBON RAIL COMP	CARBON RAIL COMP
HANDLEBAR:	CARBON	CARBON
STEM:	/	/
SADDLE:	SAMASSI	SAMASSI
SPEED:	2x12S	2x12S
CRANKSET:	SHIMANO DARA-ACE 34*50T	SHIMANO ULTEGRA 34*50T
CASSETTE:	SHIMANO DARA-ACE DI2 11-34T 12s	SHIMANO ULTEGRA 11-30T 12s
CHAIN:	SHIMANO DARA-ACE DI2	SHIMANO ULTEGRA
FT.DERAILLEUR:	SHIMANO DARA-ACE DI2	SHIMANO ULTEGRA DI2
R.DERAILLEUR:	SHIMANO DARA-ACE DI2	SHIMANO ULTEGRA DI2
SHIFTERS:	SHIMANO DARA-ACE DI2	SHIMANO ULTEGRA DI2
ROTORS:	SHIMANO (160/140)	SHIMANO (160/140)
WHEELSET:	CAMPAGNOLO ULTRA WTO	CAMPAGNOLO WTO
TYRES:	Pirelli P ZERO ROAD 700*28C	Pirelli P ZERO ROAD 700*28C
WEIGHT LIMIT:	90Kg	90Kg



ROAD GRAVEL ADVENTURE URBAN

NEW COLOR NEW COLOR NEW COLOR NEW COLOR

specs

FRAME WEIGHT (M)	FORK WEIGHT (M)	PRESS FIT	MAX TYRE
990 g	420 g	BB 86,5	30 mm

pressure adr

The Pressure ADR maintains our Pressure's pure competition handling and feel, augmented with all-day-race comfort for epic racing.



The image has the sole purpose of presenting the product. Some assembly specifications may vary.

- Tuned for ultimate racing comfort
- Aggressive rider position
- Integrated seatpost clamp and cable routing
- Possibility to customize build with after-market components thanks to the standard seat post and fork steerer diameters



NEW

camouflage colour / 迷彩色



The Pressure ADR continues to refine the design and performance developments of our aero-racer, the Pressure fine tuning it for epic, long-distance racing. The ADR in fact maintains the signature pure competition handling and feel of the Pressure, fine-tuning tube sections and carbon fiber lay-up to make it more suitable for long hours in the saddle. These engineering considerations are complemented by fully-integrated cable routing and the use of standard seatpost and fork steerer diameters, allowing the owner to easily install world-leading after market component solutions.

frame specs

Sizes	XS (45) - S (48) - M (51) - L (54) - XL (57)
Cockpit	/
Material	Columbus Carbon Monocoque
Headset	IS 52/28,6 IS 52/40
Seatpost	ø27,2
Seat Clamp	Hidden (included)
BB Shell	Press Fit 86,5 x 41 mm
Ft. derailleur	Brace-On
Routing	Full Internal - Di2/EPS Compatible
Color	Sum Faded Laser Blue / Midnight Scream
Tyre Clear.	up to 700x30 mm
Fork	Columbus Disc 1-1/2" Carbon Monocoque Internal Cable Routing
Weight	Frame 990g (size M) - Fork 420g (uncoat)
Brake	Flat Mount Disc Brake, Rotor Size Up To 160 mm
Dropouts ST	Rear TA Ø 12x142mm - MT 2x162 / Front TA Ø 12x100mm - MT 2x120
Highlights	Fl.-Re. Stevers, Headset, Stem

Midnight Scream / 黑漆夜半




Triple White Slow Fade / 纯白渐变



SUM FAD LASER BLUE / 黑漆渐变



NEW



geometry

	S1	T1	H/T	A	B	R	C	F	WB	E	FORK	STACK	REACH
XS	450	519	112	71	74	50	406	582	978	70	373	512	372
S	480	537	123	71,5	73,5	50	406	592	988	70	373	524	382
M	510	555	138	71,8	73	50	408	600	998	70	373	540	389
L	540	572	158	72	72,5	50	408	610	1008	70	373	560	395
XL	570	590	180	72,7	72	50	408	619	1017	70	373	583	403

assembly

	ULTEGRA DISC D12	105 D12	105
FRAME:	碳纤维车架 隐藏式走线	碳纤维车架 隐藏式走线	碳纤维车架 隐藏式走线
FORK:	碳纤维前叉	碳纤维前叉	碳纤维前叉
SEATPOST:	碳纤维27.2圆形鞍管	碳纤维27.2圆形鞍管	碳纤维27.2圆形鞍管
HANDLEBAR:	碳纤维一体式全内走线把组	碳纤维一体式全内走线把组	碳纤维一体式全内走线把组
STEM:	碳纤维一体式全内走线把组	碳纤维一体式全内走线把组	碳纤维一体式全内走线把组
SADDLE:	selle.italia / SAMASSI	SAMASSI	SAMASSI
SPEED:	2x12S	2x12S	2x12S
CRANKSET:	SHIMANO ULTEGRA R8100 34*50T	SHIMANO 105 D12 R7100 34*50T	SHIMANO 105 D12 R7100 34*50T
CASSETTE:	SHIMANO ULTEGRA R8100 11-30T	SHIMANO 105 D12 R7100 11-34T	SHIMANO 105 D12 R7100 11-34T
CHAIN:	SHIMANO ULTEGRA M8100	SHIMANO 105 M7100	SHIMANO 105 M7100
FT.DERAILEUR:	SHIMANO ULTEGRA D12 R8150	SHIMANO 105 D12 R7150	SHIMANO 105 R7120
R.DERAILEUR:	SHIMANO ULTEGRA D12 R8150	SHIMANO 105 D12 R7150	SHIMANO 105 R7120
SHIFTERS:	SHIMANO ULTEGRA D12 R8170	SHIMANO 105 D12 R7170	SHIMANO 105 R7120
ROTORS:	SHIMANO ULTEGRA R8170	SHIMANO 105 R7170	SHIMANO 105 R7170
WHEELSET:	JESNROD MASTER AD50-2	JESNROD MASTER AD50-2	JESNROD MASTER AD50-2
TYRES:	Pirelli P7 700x28C/Michelin	Pirelli P7 700x28C/Michelin	Pirelli P7 700x28C/Michelin
WEIGHT LIMIT:	90Kg	90Kg	90Kg



ROAD GRAVEL ADVENTURE URBAN

NEW NEW NEW NEW NEW NEW NEW NEW NEW NEW

specs

FRAME WEIGHT (M)	FORK WEIGHT (M)	PRESS FIT	MAX TYRE
1700 g	430 g	T47	32 mm

xcr

An ultra-light 100% Made in Italy steel racing frame that represents Cinelli's interpretation of the most important innovation of the last 25 years: Columbus' XCR bi-phasic stainless steel.



The image has the sole purpose of presenting the product. Some accessory specifications may vary.

- ☒ **NEW** Fully integrated cable routing with Columbus Trittico
- ☒ **NEW** T47 bottom bracket
- ☒ Italian racing geometry
- ☒ Fastback hidden seat clamp
- ☒ Titanium CNC head badge
- ☒ Winged-C dropouts
- ☒ World's lightest steel tubeset




The XCR represents Cinelli's 100% Made in Italy interpretation of the most important technological steel bicycle manufacturing technology of the last 25 years: Columbus XCR bi-phasic stainless steel. Featuring Italian racing geometry, round oversized tubes (38.4mm downtube with oriented ellipses), disc brakes, titanium headbadge, fastback seat stays, handpolished mirror finish and a 1700g true frame weight: this is the only performance frame in the world that will also be raced by your children and grandchildren. The ultimate heirloom performance bike.



frame specs

Sizes	XS (45) - S (48) - M (50) - L (53) - XL (56) - Made to Measure
Material	Columbus Xcr Tubeset
Headset	ZS 44/28.6 I EC 44/40
Seatpost	Ø 31.6 mm
Seat Clamp	Integrated
BB Shell	T47 68 mm
Ft. derailleur	Clamp Ø 33 mm
Routing	Internal - Electronic Only
Color	Magic Mirror
Tyre Clear.	up to 700x32 mm
Fork	Columbus Trittico Carbon Road
Weight	Frame 1700 g, (size M) Fork 430 g, (uncut)
Brake	Flat Mount Disc Brake, rotor size up to 160 mm
Dropouts ST	Rear TA Ø 12x142mm - M12x173 / Front TA Ø 12x100mm - M12x119
Highlights	Frame / Fork / Ft. Derailleur Clamp



geometry

	S1	S	T1	T	H/T	A	B	R	C	F	WB	E	FORK STACK	REACH	
XS	450	415	515	498	98	71.5	74.5	45	410	570	967	73	368	491	378
S	480	435	525	509	104	72	74	45	410	572	971	73	368	498	382
M	500	465	545	530	121	73	73.5	45	410	579	979	71	368	516	390
L	530	495	560	544	139	73.5	73	45	415	583	989	71	368	535	396
XL	560	525	580	564	172	73.5	72.5	45	415	599	1005	68	368	560	403

assembly

	¥122,770.00 SUPER RECORD WRL	¥108,600.00 RED ETAP axS	¥99,160.00 DURA-ACE DISC DI2	¥78,380.00 ULTEGRA DISC DI2
Drivetrain	Campagnolo Super Record	Sram Red Etap AXS	Shimano Dura-Ace 9270	Shimano Ultegra 8170
Handlebar	Columbus Comp. Carbon Road	Columbus Comp. Carbon Road	Columbus Comp. Carbon Road	Columbus Comp. Carbon Road
Stem	Columbus Comp. Carbon Road	Columbus Comp. Carbon Road	Columbus Comp. Carbon Road	Columbus Comp. Carbon Road
Seatpost	Columbus Comp. Carbon Road	Columbus Comp. Carbon Road	Columbus Comp. Carbon Road	Columbus Comp. Carbon Road
Shifters	Campagnolo Super Record	Sram Red Etap AXS	Shimano Dura-Ace R9270	Shimano Ultegra R8170
Brakes	Campagnolo Super Record	Sram Red	Shimano Dura-Ace R9270	Shimano Ultegra R8170
Rotors	Campagnolo 160 - 140 mm	Sram Centerline XR 160 - 140 mm	Shimano 160 - 140 mm	Shimano 160 - 140 mm
Ft. derailleur	Campagnolo Super Record	Sram Red Etap AXS	Shimano Dura-Ace R9250	Shimano Ultegra R8150
R. derailleur	Campagnolo Super Record	Sram Red Etap AXS	Shimano Dura-Ace R9250	Shimano Ultegra R8150
Crankset	Campagnolo Super Record 48/32t	Sram Red Etap AXS 48/35t	Shimano Dura-Ace R9200 52/36t	Shimano Ultegra R8100 52/36t
Cassette	Campagnolo Super Record 10/29t	Sram Red Etap AXS 10/28t	Shimano Dura-Ace R9200 11/30t	Shimano Ultegra R8100 11/30t
Chain	Campagnolo Super Record	Sram Force Flathead	Shimano M8100	Shimano M8100
Wheelset	Campagnolo Hyperon	Fulcrum Wind DB	Fulcrum Wind DB	Fulcrum Wind DB
Tyres	Pirelli PZero 700x28	Pirelli PZero 700x28	Pirelli PZero 700x28	Pirelli PZero 700x28
Saddle	Selle Italia Novus	Selle Italia Novus	Selle Italia Novus	Selle Italia Novus



specs

FRAME WEIGHT (M)	FORK WEIGHT (M)	PRESS FIT	MAX TYRE
2000 g	430 g	T47	28 mm

ROAD GRAVEL ADVENTURE URBAN

NEW NEW NEW NEW NEW NEW NEW NEW NEW NEW NEW

nemo tig road


Cinelli's 100% Made in Milano steel road flagship hybridizes heritage with contemporary performance to create a new icon of Il Grande Ciclismo.



The image has the sole purpose of presenting the product. Some accessory specifications may vary.

The Nemo is Cinelli's flagship steel road bike, handcraft to hybridize our more than 75 years of Italian cycling heritage with the performance possibilities of contemporary cold-drawn steel tubing technology. Every Nemo frame is handwelded by Cinelli's internal framebuilder in its Milanese HQ, using custom drawn triple butted tube drawn by its sister company Columbus, less than 100 metres from the framebuilder creating the world's shortest performance bicycle supply chain.

For 2024 - thanks to continuous three-way dialogue between the Cinelli design office, our framebuilder and Columbus - the Nemo has undergone subtle but significant manufacturing improvements including a 170g weight reduction (size Medium), the introduction of the T47 bottom bracket allowing for fully-internal cable routing as well as improving stiffness and a new ultralight CNC'd aluminium seatpost collar.



frame specs

Sizes	XS (48) - S (51) - M (54) - L (56) - XL (59) - XXL (61) / Made to Measure
Material	Columbus Spirit HSS Tubaset
Headset	IS 42/28.6 IS 52/40
Seatpost	Ø 27.2 mm
Seat Clamp	CNC Machined ø 29.8
BB Shell	T47 68 mm
Ft. derailleur	Clamp Ø 28.6 mm
Routing	Full Internal (Red, Dura-Ace) - External / Internal Hydraulic Disc Brake Housing
Color	Orange Blossom Special (+3 Custom colors and +33 Colors matt or glossy)
Tyre Clear.	up to 700x28 mm
Fork	Columbus Components (Red - Dura-Ace) - Columbus Trittico Carbon Road
Weight	Frame 2000 g. (size M) Fork 430 g. (uncut)
Brake	Flat Mount Disc Brake, rotor size up to 160 mm
Dropouts ST	Rear TA Ø 12x142mm - M12x173 / Front TA Ø 12x100mm - M12x119
Highlights	Frame / Fork / Ft. Derailleur Clamp / Ft. & Re. Skewers / Headset

geometry

	S1	T1	H/T	A	B	R	C	F	WB	E	FORK	STACK	REACH
XS	490	510	110	71	74.5	45	410	572	972	70	368	509	369
S	510	525	130	71.5	74	45	410	579	978	70	368	530	373
M	540	545	145	72.5	73.5	45	410	585	985	70	368	548	383
L	560	555	165	73	73.5	45	410	590	990	70	368	568	387
XL	590	575	185	73	73	45	415	605	1010	70	368	588	395
XXL	610	590	210	73.5	73	45	415	614	1019	70	368	613	402

- ☒ **NEW:** T47 bottom bracket allows for full internal cable routing (including Columbus Trittico cockpit) as well as improved stiffness
- ☒ **NEW:** Ultralight CNC aluminium seatpost collar reduces weight and improves product life
- ☒ **NEW:** seatpost tube and diameter reduces weight and improves comfort
- ☒ **NEW:** As of March 2023 all Nemo frames are manufactured within the Cinelli Milan HQ by our internal framebuilder allowing us to create the world's shortest supply chain for premium road bikes.
- ☒ **NEW:** Lasercut minimalist brake bridge for further weight savings
- ☒ **NEW:** Geometry
- ☒ Custom drawn Columbus Spirit triple-butted tubes
- ☒ Classic Italian racing geometry
- ☒ Design-driven detailing and finish
- ☒ Available in 69 different paint and finish options



assembly

¥94,440.00
RED ETAP axS

¥84,990.00
DURA-ACE DISC DI2

¥50,050.00
ULTEGRA DISC DI2

	RED ETAP axS	DURA-ACE DISC DI2	ULTEGRA DISC DI2
Drivetrain	Sram Red Etap AXS	Shimano Dura-Ace R9270	Shimano Ultegra R8170
Handlebar	Columbus Comp. Carbon Road	Columbus Comp. Carbon Road	Cinelli Vai
Stem	Columbus Comp. Carbon Road	Columbus Comp. Carbon Road	Cinelli Vai
Seatpost	Columbus Comp. Carbon Road	Columbus Comp. Carbon Road	Cinelli Vai Ø 27.2
Shifters	Sram Red Etap AXS	Shimano Dura-Ace R9270	Shimano Ultegra R8170
Brakes	Sram Red	Shimano Dura-Ace R9270	Shimano Ultegra R8170
Rotors	Sram Centerline XR 160 - 140 mm	Shimano 160 - 140 mm	Shimano 160 - 140 mm
Ft. derailleur	Sram Red Etap AXS	Shimano Dura-Ace R9250	Shimano Ultegra R8150
R. derailleur	Sram Red Etap AXS	Shimano Dura-Ace R9250	Shimano Ultegra R8150
Crankset	Sram Red Etap AXS 48/35t	Shimano Dura-Ace R9200 52/36t	Shimano Ultegra R8100 52/36t
Cassette	Sram Red Etap AXS 10/28t	Shimano Dura-Ace R9200 11/30t	Shimano Ultegra R8100 11/30t
Chain	Sram Red Flathead	Shimano M9100	Shimano M8100
Wheelset	Fulcrum Wind DB	Fulcrum Wind DB	Fulcrum 600 DB
Tyres	Pirelli PZero 700x28	Pirelli PZero 700x28	Vittoria Zaffiro pro 700x28
Saddle	Selle Italia Novus	Selle Italia Novus	Selle Italia Model X



NEMO TIG SPECIAL COLORS



NEMO TIG, NEMO TIG DISC & NEMO TIG GRAVEL COLORS / GLOSSY FINISH ONLY
 DECALS COLOR OPTION: BLACK OR WHITE

NEMO TIG FACTORY COLORS



NEMO TIG, NEMO TIG DISC & NEMO TIG
 GRAVEL COLORS / GLOSSY OR MATT FINISH
 DECALS COLOR OPTION: BLACK OR WHITE



specs

FRAME WEIGHT (M)	FORK WEIGHT (M)	PRESS FIT	MAX TYRE
2000 g	450 g	BSA	28 mm

ROAD GRAVEL ADVENTURE URBAN

NEW NEW NEW NEW NEW NEW NEW NEW NEW NEW NEW


nemo tig allroad

The ultimate go-everywhere 100% Made in Milano endurance steel machine.



The image has the sole purpose of presenting the product. Some accuracy specifications may vary.

The Nemo All Road is entirely handcrafted by Cinelli's internal framebuilder in its Milanese HQ using custom drawn triple butted tube drawn by its sister company Columbus, less than 100 metres from the framebuilder creating the world's shortest performance bicycle supply chain. Representing an evolution in the way road bikes – particularly contemporary oversized steel tube bikes – are being ridden as pleasure, adventure, exploration of nature and oneself become ever more important for the evolved cyclist, the Nemo All Road has been fine tuned for maximum comfort on epic rides and a geometry and handling that is equally at home on asphalt and dirt. Experienced cyclists will in fact notice carefully chosen details such as (sz M) the 150mm headtube, 72,5° ST angle, 1018mm wheel base and 35mm wheel clearance as well as the legendary ride feel provided by an artisanally hand welded frame made from custom drawn Columbus Spirit triple-butted tubes. A true forever (and anywhere) Cinelli.



frame specs

Sizes	XS (48) - S (51) - M (54) - L (56) - XL (59) - XXL (61) / Made to Measure
Material	Columbus Spirit FSS Tubaset
Headset	IS 42/28.6 IS 47/33
Seatpost	Ø 27.2 mm
Seat Clamp	CNC Machined ø 29.8
BB Shell	BSA 68 mm
FL derailleur	Clamp Ø 28.6mm
Routing	External / Internal Hydraulic Disc Brake Housing
Color	Olive Green (+3 Custom colors and +33 Colors matt or glossy)
Tyre Clear.	up to 700x35 mm
Fork	Columbus Futura Allroad Disc: 1-1/8" - 1-1/4" Carbon Monoc.
Weight	Frame 2000 g, (size M) Fork 450 g, (uncut)
Brake	Flat Mount Disc Brake, rotor size up to 160 mm
Dropouts ST	Rear TA Ø 12x142mm - M12x173 / Front TA Ø 12x100mm - M12x119
Highlights	Frame / Fork / FL Derailleur Clamp / FL & Re. Skewers / Headset

geometry

	S1	T1	H/T	A	B	R	C	F	WB	E	FORK	STACK	REACH
XS	490	510	115	70	74.5	47	430	594	1005	68	382	521	396
S	510	520	135	70	74.5	47	430	596	1017	68	382	540	370
M	540	535	150	71	74	47	430	597	1018	68	382	557	375
L	560	555	175	72	73.5	47	430	603	1024	68	382	585	382
XL	590	575	200	72.5	73	47	430	613	1033	68	382	611	388
XXL	610	595	225	73	72.5	47	430	621	1042	68	382	637	394

assembly

	ULTEGRA Di2 ¥50,990.00	105 Di2 ¥44,380.00
Drivetrain	Shimano Ultegra R8170	Shimano 105 7100
Handlebar	Cinelli Vai	Cinelli Vai
Stem	Cinelli Vai	Cinelli Vai
Seatpost	Cinelli Vai Ø 27.2	Cinelli Vai Ø 27.2
Shifters	Shimano Ultegra R8170	Shimano 105 R7170
Brakes	Shimano Ultegra R8170	Shimano 105 R7170
Rotors	Shimano 160 - 140 mm	Shimano 160 - 140 mm
FL derailleur	Shimano Ultegra R8150	Shimano 105 R7150
R. derailleur	Shimano Ultegra R8150	Shimano 105 R7150
Crankset	Shimano Ultegra R8100 52/36t	Shimano 105 R7100 52/36T
Cassette	Shimano Ultegra R8100 11/30t	Shimano 105 R7100 11/34T
Chain	Shimano M8100	Shimano M7100
Wheelset	Fulcrum Rapid Red 5	Fulcrum Rapid Red 5
Tyres	Vittoria Corsa Next 700x34	Vittoria Corsa Next 700x34
Saddle	SSM Shortfit	SSM Shortfit

- ☒ **NEW** Allroad geometry including (sz M) 150mm headtube, 72,5° ST angle, 1018mm wheel base and 35mm wheel clearance for a more endurance position, handling and multi-terrain capability.
- ☒ **NEW** As of March 2023 all Nemo frames are manufactured within the Cinelli Milan HQ by our internal framebuilder allowing us to create the world's shortest supply chain for premium road bikes.
- ☒ **NEW** Ultralight collar
- ☒ Custom drawn Columbus Spirit triple-butted tubes
- ☒ Design-driven detailing and finish
- ☒ Available in 69 different paint and finish options

